

## Receiving Report

Date: 11/01/21  
 Supplier: THYSSER/K

Batch No: M116680  
 Dart P/O: 13280

Packing Slip: Yes ☒ No ☐  
 Invoice: Yes ☐ No ☒  
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Waybill Attached: Yes ☒ No ☐ N/A ☐  
 Shipment Complete: Yes ☒ No ☐ N/A ☐  
 QC6 Inspection ☒ N/A ☐  
 Work Order ☐ N/A ☐

### Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 11/01/21  
 Date [Signature]  
 Received/Costing [Signature]  
 Initial [Signature]

Location \_\_\_\_\_

## Page 1 of 1

All amounts are calculated in domestic currency.

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name		VC-COP001	Thyssenkrupp Materials CA Ltd								
PO13280	11		M7075T73B2.500X0 f 3.25		1/21/2011	1/21/2011	12.0000	\$44.40	0.0000	0	\$532.75
CAD	No		7075-T73 Bar 2.50 x f 3.25 116680		12.0000	DESJ02		\$532.75	0.0000	0	
Total Received Quantity:										12.0000	
Total Qty to Inspect (PO U/M):										0.0000	
Total Reject Quantity:										0.0000	
Total Receipt Value:										\$532.75	
Total Balance Due Quantity:										0.0000	

# B I L L O F L A D I N G

Ship From: THYSENKRUPP MATERIALS NA  
2821 LANGSTAFF ROAD  
CONCORD, ONTARIO L4K 5C6  
Tel: 905 669 9444 Fax: 9057389033

No: PEC 692577  
Ship Date 20Jan11 at 8:57 From PFW  
Probill  
Via APEXMOTOR-PEC  
FOB CONCORD  
Frt PREPAID  
Route 0- 0 Manifest  
Vhcle Trailer  
Slp TRINA VINCE (905-532-1365)  
Sold To: ( 20115)  
DART AEROSPACE  
1270 ABERDEEN ST  
HAWKESBURY, ON K6A 1K7

Ship To: ( 1)  
DART AEROSPACE  
1270 ABERDEEN ST  
HAWKESBURY, ON K6A 1K7  
Tel: 613-632-9577 Fax: 613-632-1053

## B I L L O F L A D I N G

1) Our Order PEC-291399- 1 Your PO # 13280  
Part # Rel # CHANTAL

MTR

ALUMINUM PLATE 7075T7351

2.50" THICK X 3.2500" X 144.0000"

Heat Number Tag No  
528443A5 155866

Quantity PCS Wt LBS  
3.25 SFT 1 120

TOTAL: Tags PCS LBS  
1 1 120

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT  
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR  
TO SHIPPING.

ATTN: CHANTAL/LINDA

\*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\*  
\*\* REFERENCED ON IT \*\*

\*\*\*DO NOT CHARGE ENERGY SURCHARGE -BILLED  
ON S/O 291250

TOTAL 1 BDL G.W. 145 LBS

\*CUSTOMER PICK-UP HRS AT THYSENKRUPP MATERIALS NA  
CONCORD, ONT.\* \*\*\* 9:00 AM TO 4:00 PM \*\*\*

\*\*\* TEL. 800-926-2600 \*\*\*\*

\*\*\*\*\*

\* WE STOCK STAINLESS STEEL \*

\* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT \*

\*\*\*\*\*

Page: 1 ....Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE  
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.  
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

DATE

B I L L O F L A D I N G

No: PEC 692577

Ship From:  
THYSSENKRUPP MATERIALS NA  
2821 LANGSTAFF ROAD  
CONCORD, ONTARIO L4K 5C6  
Tel: 905 669 9444 Fax: 9057389033

Ship Date 20Jan11 at 8:57 From PFW  
Probill T151279  
Via APEXMOTOR-PEC  
FOB CONCORD  
Frt PREPAID  
Route 0- 0 Manifest  
Vhcle Trailer  
Slp TRINA VINCE (905-532-1365)  
Sold To: ( 20115)  
DART AEROSPACE

Ship To: ( 1)  
DART AEROSPACE

B I L L O F L A D I N G

\*\*\*PLEASE NOTE A \$15.00 ENERGY SURCHARGE WILL BE  
ADDED TO EVERY ORDER AS OF DEC 8/08.\*\*\*

Page: 2 .... Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE  
RAPPORTÉES IMMÉDIATEMENT

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT  
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

# KAISER ALUMINUM FABRICATED PRODUCTS

*Best in Class*

## CERTIFIED TEST REPORT

<http://Certs.KaiserAluminum.com>

Kaiser Aluminum  
Trentwood Works  
Spokane, WA 99205-5108  
(800) 367-2586

CUSTOMER PO NUMBER: 5400083919-0050		WORK PACKAGE:		CUSTOMER PART NUMBER: ALFLR00249		PRODUCT DESCRIPTION: Sawed Plate	
KAISER ORDER NUMBER: 1107228	LINE ITEM: 5	SHIP DATE: 12/08/2010	ALLOY: 7075		CLAD: BARE	TEMPER: T7351	
WEIGHT SHIPPED: 6728 LB	QUANTITY: 3 PCS EST.	B/L NUMBER: 2029952	GAUGE: 2.5000 IN		WIDTH: 60.500 IN	LENGTH: 144.500 IN	
SHIP TO:  COPPER & BRASS SALES 5 STERLING DRIVE WALLINGFORD, CT 06492 US				SOLD TO:  COPPER & BRASS SALES ATTN: ACCOUNTS PAYABLE P.O. Box 5116 SOUTHFIELD, MI 48086 US			

### Certified Specifications

AMS 4078/RevG AMS-QQ-A-250/12 AMS-STD-2154/Rev98 ASTM B 209/Rev07 ASTM B 594/Rev06  
BAC 5439/RevH BSS 7055/RevA CMMP 025/RevT CSTI 006/RevD DPS 4.713/RevAH EAC  
MS1011/RevE GAMPs 9101/RevB GSS16100/RevG/Amd1 MMS 159/RevN PS 21211/RevK

Test Code: 4297

### Test Results:

LOT: 528443A5 CAST: 355 DROP: 34 INGOT: 4

(ASTM E8/B557)

(EN 2002-1)

Tensile: Temper	Dir/#Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
T7351	LT / 02 (Min:Max)	69.2 : 69.4 (477 : 479)	57.5 : 57.6 (396 : 397)	10.8 : 11.0

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS:	41.8 Min	42.1 Max
(MS/M):	24.2 Min	24.4 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.10	0.17	1.5	0.02	2.5	0.20	5.7	0.03	0.01	0.01	TOT 0.05

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser) hereby certifies that metal shipped under this order was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content. This material has been inspected, tested and found in conformance with the requirements of the applicable specifications as indicated herein. All metal which is solution heat treated complies with AMS 2772. Any warranty is limited to that shown on Kaiser's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of Kaiser Aluminum Fabricated Products, LLC laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law. ISO-9001:2000 certified.

BILL POYNOR, LABORATORIES SUPERVISOR

Plant Serial: 4212202

Kaiser Order Number: 1107228

**KAISER**  
**ALUMINUM**  
**FABRICATED PRODUCTS**

*Best in Class*

**CERTIFIED TEST REPORT**

<http://Certs.KaiserAluminum.com>

Kaiser Aluminum  
Trentwood Works  
Spokane, WA 99205-5108  
(800) 367-2586

Chemistry:		SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
7075	MIN	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	MAX 0.05
	MAX	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT 0.15
Aluminum Remainder												

**Miscellaneous Notes**

Metal represented by this test report was immersion ultrasonically tested from one side and meets the Class A and Class B requirements of all specifications referenced on this test report.

BOB O SET EARLY RELEASE ON 12/7/10

ThyssenKrupp Materials NA, Inc.

Copper and Brass Sales Div sold to:

CUSTOMER: ThyssenKrupp Material

YOUR PO#: PEC 227388

CBS ORDER#: 1400698115

QTY: 1 PC

BY: [Signature] DATE: 11411

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC (Kaiser) hereby certifies that metal shipped under this order was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content. This material has been inspected, tested and found in conformance with the requirements of the applicable specifications as indicated herein. All metal which is solution heat treated complies with AMS 2772. Any warranty is limited to that shown on Kaiser's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of Kaiser Aluminum Fabricated Products, LLC laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law. ISO-9001:2000 certified.

BILL POYNOR, LABORATORIES SUPERVISOR

*Bill Poynor*

Plant Serial: 4212202

Kaiser Order Number: 1107228

**COPPER AND BRASS SALES****MATERIAL TYPE****ALUMINIUM ALLOYS****PRODUCT DESIGNATION****2014 2024 2224 2324 7050 7075 7150 7175 7475 ALUMEC 89 ALUMEC 99 QC-7****"WARNING"**

SMALL CHIPS,FINE TURNINGS AND DUST MAY IGNITE READILY.EXPLOSION POTENTIAL MAY BE PRESENT WHEN:DUST OR FINES ARE DISPERSED IN THE AIR; FINE, DUST OR MOLTEN ALUMINUM ARE IN CONTACT WITH CERTAIN METAL OXIDES; OR,CHIPS,FINES,DUST OR MOLTEN ALUMINUM ARE IN CONTACT WITH WATER OR MOISTURE.KEEP AWAY FROM IGNITION SOURCE.USE EXPLOSION-PROOF VENTILATION.KEEP MATERIAL DRY.

THIS PRODUCT CONTAINS BERYLLIUM AND COPPER.INHALING BERYLLIUM DUST OR FUMES MAY CAUSE CHRONIC BERYLLIUM DISEASE (CBD),A SERIOUS CHRONIC LUNG DISEASE IN SOME INDIVIDUALS.BERYLLIUM IS A CANCER HAZARD;OVER TIME CBD AND CANCER CAN BE FATAL,TARGET ORGAN IS PRIMARILY THE LUNG.INHALING LARGE AMOUNTS OF COPPER,MAGNESIUM OXIDE,MANGANESE OXIDE,AND ZINC OXIDE FUMES OR DUST MAY CAUSE METAL FUME FEVER WITH FLU-LIKE SYMPTOMS.CHRONIC OVEREXPOSURE TO COPPER MAY CAUSE THICKENING OF THE SKIN;AND SKIN,TEETH,AND HAIR DISCOLORATION.CHRONIC OVEREXPOSURE TO MANGANESE DUST CAN CAUSE CENTRAL NERVOUS SYSTEM DAMAGE,SCARRING OF THE LUNGS AND REPRODUCTIVE HARM IN MALES.TARGET ORGAN IS PRIMARILY THE LUNG,BUT REPEATED HIGH EXPOSURE CAN ALSO AFFECT THE LIVER.CHRONIC OVEREXPOSURE TO IRON OXIDE DUST/FUME MAY CAUSE LUNG SIDEROSIS.CHRONIC OVEREXPOSURE TO SILICON DUST CAN CAUSE CHRONIC BRONCHITIS.OVEREXPOSURE TO AMORPHOUS SILICA CAN CAUSE DRYING OF THE MUCOUS MEMBRANES OF THE EYES,NOSE,AND THROAT.

THIS PRODUCT ALSO CONTAINS NICKEL AND CHROMIUM COMPOUNDS.INHALATION OF NICKEL DUST OR FUME MAY RESULT IN INFLAMMATION OF THE RESPIRATORY TRACT AND CAUSE NASAL AND/OR LUNG CANCER.NICKEL HAS BEEN IDENTIFIED AS A POTENTIAL HUMAN CARCINOGEN.EXPOSURE TO CHROMIUM DUST OR FUMES MAY CAUSE METAL FUME FEVER WITH FLU-LIKE SYMPTOMS AND KIDNEY AND LIVER DAMAGE.UNDER HIGH TEMPERATURES,HEXAVALENT CHROMIUM MAY BE PRODUCED,IF IN THE INSOLUBLE FORM,IT IS A CONFIRMED HUMAN CARCINOGEN.(CALIFORNIA PROPOSITION 65).

IF COATED WITH OIL,MAY CAUSE SKIN IRRITATION/DERMATITIS BY CONTACT.WELDING FUME IS LISTED AS A POSSIBLE CARCINOGENIC TO HUMANS.

READ THE ALUMINIUM/ALUMINIUM ALLOYS MATERIAL SAFETY DATA SHEET (MSDS) ON FILE WITH YOUR EMPLOYER BEFORE WORKING WITH THIS MATERIAL.

\* If processing or recycling produces particulate,use exhaust ventilation or other controls designed to prevent exposure to workers. Examples of such activities include melting, welding,grinding,abrasive sawing,sanding and polishing.Any activity which abrades the surface of this material can generate airborne particulate.Use appropriate NIOSH approved respiratory protection (P95; P100 for lead with, quantitative fit testing required) if exposures exceed the permissible limits.

\* The Occupational Safety and Health Administration (OSHA) have set mandatory limits on occupational exposures.

\* Aluminum, in solid form and as contained in finished products presents no special health risk.

\* Sold for manufacturing purposes only.This product can be recycled; contact your sales representative.

For additional information, call or write to Copper and Brass Sales,22355 West Eleven Mile Road, Southfield, MI 48033,telephone 248-233-5600, or visit our web site @ [www.copperandbrass.com](http://www.copperandbrass.com).

**B I L L O F L A D I N G**  
 Ship From:  
 THYSSENKRUPP MATERIALS NA  
 2821 LANGSTAFF ROAD  
 CONCORD, ONTARIO L4K 5C6  
 Tel: 905 669 9444 Fax: 9057389033

No: PEC 692577  
 Ship Date 20Jan11 at 8:57 From PFW  
 Probill T151279  
 Via APEXMOTOR-PEC  
 FOB CONCORD  
 Frt PREPAID  
 Route 0- 0 Manifest  
 Vhcle Trailer  
 Slp TRINA VINCE (905-532-1365)  
 Sold To: ( 20115)  
 DART AEROSPACE  
 1270 ABERDEEN ST  
 HAWKESBURY, ON K6A 1K7

Ship To: ( 1)  
 DART AEROSPACE  
 1270 ABERDEEN ST  
 HAWKESBURY, ON K6A 1K7  
 Tel: 613-632-9577 Fax: 613-632-1053

**B I L L O F L A D I N G**  
 1) Our Order PEC-291399- 1 Your PO # 13280  
 Part # Rel # CHANTAL  
 ALUMINUM PLATE 7075T7351  
 2.50" THICK X 3.2500" X 144.0000"

MTR

Heat Number Tag No  
 528443A5 155866

Quantity PCS Wt LBS  
 3.25 SFT 1 120

Tags PCS LBS  
 TOTAL: 1 1 120

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT  
 WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR  
 TO SHIPPING.

ATTN: CHANTAL/LINDA

\*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\*  
 \*\* REFERENCED ON IT \*\*

\*\*\*\*DO NOT CHARGE ENERGY SURCHARGE -BILLED  
 ON S/O 291250

TOTAL 1 BDL G.W. 145 LBS

\*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA  
 CONCORD, ONT.\* \*\*\* 9:00 AM TO 4:00 PM \*\*\*

\*\*\*\* TEL. 800-926-2600 \*\*\*\*

\*\*\*\*\*

\* WE STOCK STAINLESS STEEL \*

\* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT \*

\*\*\*\*\*

Page: 1 ....Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE  
 RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.  
 MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.



B I L L O F L A D I N G  
Ship From:  
THYSSENKRUPP MATERIALS NA  
2821 LANGSTAFF ROAD  
CONCORD, ONTARIO L4K 5C6  
Tel: 905 669 9444 Fax: 9057389033

No: PEC 692577  
Ship Date 20Jan11 at 8.57 From PFW  
Probill T151279  
Via APEXMOTOR-PEC  
FOB CONCORD  
Frt PREPAID  
Route 0- 0 Manifest  
Vhcle Trailer  
Slp TRINA VINCE (905-532-1365)  
Sold To: ( 20115)  
DART AEROSPACE

Ship To: ( 1)  
DART AEROSPACE

B I L L O F L A D I N G  
\*\*\*PLEASE NOTE A \$15.00 ENERGY SURCHARGE WILL BE  
ADDED TO EVERY ORDER AS OF DEC 8/08.\*\*\*

Page: 2 .... Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE  
RAPPORTÉES IMMÉDIATEMENT.  
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY  
RETOUR DE MARCHANDISES AVEC NOTRE NUMÉRO D'APPROBATION SEULEMENT.  
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION  
TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

DATE



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO13280**

Purchase Order Date 1/13/11

PO Print Date 1/13/11

Page Number 3 of 3

Order From :

VC-COP001

THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"  
TORONTO, ON M5W 5V8  
CA

Contact Name

Buyer

Chantal Lavoie

Vendor Phone

905 669 9444

Requisition Nbr

Vendor Fax

905 738 9033

Tax Resale Nbr

10127-2607

Vendor Account Nbr

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Special Inst: MATERIAL: AS ABOVE

9	M6061T6B2.000X01.250	6061-T6 Bar 2.00 x 1.25	1/19/11 Yes	✓ 24.00 f	Yours ppd	\$6.6000	\$158.40
---	----------------------	-------------------------	----------------	--------------	-----------	----------	----------

Special Inst: MATERIAL: AS ABOVE

10	M6061T6H1.000	6061-T6 HexBar 1.00	1/19/11 Yes	✓ 12.00 f	Yours ppd	\$2.2000	\$26.40
----	---------------	---------------------	----------------	--------------	-----------	----------	---------

Special Inst: MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM HEX BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115 4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221

11	M7075T73B2.500X03.25	7075-T73 Bar 2.50 x 3.25	1/21/11 Yes	✓ 12.00 f	Yours ppd	\$44.3958	\$532.75
----	----------------------	--------------------------	----------------	--------------	-----------	-----------	----------

Special Inst: MATERIAL: 7075-T73 OR 7075-T7351/T73510/T73511 BAR AS PER: AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 OR AMS 4124 OR AMS-QQ-A-250/12 OR AMS 4078

MATERIAL CERTIFICATION  
REQ'D UPON DELIVERY

PO Total:

\$3,842.16

Change Nbr: 1

Change Date: 1/13/11

No substitution or deviation without consent.  
Certificate of Conformity or Material Certification required when applicable